1d DeLaRue - Continuous Rule



M5(1)

PLATE 75

NB. Tag in vertical rule 3.5mm up. Crack btwn 11/12 upper print under 20/12 - Tag right

Early state according RWP. Side left frame line over laurel leaf 9

M5(2)

PLATE 72

Coord 9.1 x 3.1

Plate flaw in NU of REVENUE in R20/12 - SHAPE of Rule - break btwn 11th & 12th - cut under PE of R20/9. This strip Represents very worn state Right side of 10th stamp Also left of 11th

M5(1)

PLATE 80

(Co 9.1 x 2.5)

Rule features - later printings show Nick in Laurel Leaf #15 - RWP Jan 17'76

Also see RWP Jan 8.1976

V1

M5(1)

V1

M5(1)

UNKNOWN #127 - FORM of Rule the SAME IN both pairs particularly NEAR top of Vertical Rule

V1

M5(1)

UNKNOWN #127 AS ABOVE

M5(1)

UNKNOWN #118 BREAK IN LAUREL Leaf #1 at lower edge in R20/1 - distinctive Rule corner RWP Jan 17'76

V2A

Page 1E

1d DeLaRue - Continuous Rule

M5(2)

PLATE 11

This plate may have been used for 'A' Control but without the cut under 'EP' in the 11th Rule. (MA)

PLATE 68 M5(3)

Dent in back of head in R 20/10 and some similar rule features. Compare with Pl. 68 'A' Continuous. - Earlier Plate was B+ so was A+. See RWP 6/2/75
No shown in Specialized

M5(2)

V1

PLATE 1C see RWP 10/7/74
(COORD - 6. x 3.2)

M5(2)

Co. 6.7 x 3.2

PLATE 18

NB - Jog under R 20/12 below NN of PENNY is characteristic of this plate. Plate 18 was also used for Controls C, C4, D4 and D5. Subsequent printings show Row 20/10 developed a white mark between NU of REVENUE. Plate 18 is not shown in SG as being used for this control. - see RWP - 10/7/74



PLATE 17 (unlisted in S.G. for "B")

Co. 7.3 x 3.

Distinctive nick under 'P' in 20/11
see RWP 1/9/75
(BLITZ)

UNPLATED (U114) M5(1)

Co. 6.6 x 2.7

Note gap in shading below right of tablet in 20/11 - RWP - Note 1/9/75

PLATES USED - 1B - 1C - 1D - 2 - 3 - 7 - 10 - 11 - 12 - 18 - 17

68 - 79 - 82 - 16

Bump outside vertical Rule 1st on R19 - R20

Page 2B

1d DeLaRue - Continuous

1.50

+

M5(1) UNPLATED

Note slight crack above top ACORN 12th Stamp - RWP 1/9/75
see also open left side white dot middle left side of crown (12th)
(Coord 6.2 x 3.5)

1.50

PLATE 11
see page 2a

M5(2)



STATE 'C'
Break Between
11th and 12th

STATE 'D' Break
Between 10th & 11th

STATE 'B'
Wide cut
under PE
of 10th

(Coord. 6 x 3.2)

STATE 'A'
cut under 'D'
of 8th.

£20
£9

PLATE 1

STATE 'B'
Cut under (P)E
of 4th

STATE 'B'
Break Between
2nd and 3rd

M5(1)

M5(1)

PLATE 3

GAP in Bottom Line SW of Value tablet
Later this plate changes to Bt when
Slanting cut is noped under PE of R20/10
Information regarding first cut still
unknown See RWP 6/2/75

12.50

1d DeLaRue - Continuous

1.50

M 5 (2) UNPLATED (U114)

Characteristics SAME AS page 2a

4.00

M 5 (2)

Color 7.1 x 3.3

1.50

V2

M 5 (2) PLATE 82

Characteristic is a SHARP point-left of Oak Leaf #1 - Row 20/11 - similar to C4 of same plate - Form of Rule btwn 11 and 12 looks like same in C4

Co. 7 x 3.5

PLATE 79. M 5 (2)

See same plates 'A' page 1b AND 'C4' page 4a

1.20

H1

2.25

V2

M 5 (2) PLATE 16 V1

R 20/11 Break in left inner frame about 6mm up from bottom AND break in inner from R 20/12 under "O"

12.00

V1

PLATE 2 M 5 (3)

Charact: lips on top of Rule 10/11 - 11/12 (Row)

Overlay AND Coordinates the SAME AS U114 - Pl.2 . 6.5 x 2.6 = U114. 6.5 x 2.7

22.00

1d DeLaRue - Continuous Rule

PLATE 79 M5(2)

See same plate - page 2c

PLATE 18 (M5-2)

See same plate - page 2b

PLATE 82 M5(1)

See same plate page 2c - Co. 7x3.5

~~V1~~ V2a

3.00

M5(1) UNPLATED (U114) (Co 6.5x2.4)

See page 2a - Break btwn 10/11 more evident - RWP Jan 17, '16

12.00

11 DeLaRue - Continuous Rule

1·25 +

(Board - 5.1 x 2.5+)

M5(1) PLATE 13 (M.A.) Co-6.5x3.5

M5(1) PLATE 14 (M.A.) (= Pl.8)

N.B - 20/12 LOWER CLICHE AND RULE - PERHAPS DUE TO CRACK. +R20/11 HAS WHITE DOT IN POSTAGE LABEL

7.50 V2A +

1·25 +

M5(1)

PLATE 10

See RW. Powell letter of June 2, 1975, in Reply to mine of May 18th. This piece has a clean vertical break between R20/10 and 11 also a small base indenture between R20/11 and 12 - (Co. 6.5 x 4.)

This plate is not listed in S.G. for use with this control

PLATE 13 M5(1)

Note ~~broken~~ INSIDE CURVE AT CORNER AND SIMILARITY to other strip CONFIRMED BY M.A. ALSO CRACK IN RULE 10/11 ALSO INCLINED damage RIGHT INNER AND outer FRAME 20/11 - ON outer frame the damage is 5mm + from top - See also Plate 13 - C4 - RWP 1/~~10~~/75

V1 2.50 +

1·75 1 +

H1 1·25 +

16.00

M5(1) PLATE 13 PLATE 13 M5(1)

PLATES USED - 1D - 3 - 13 ✓ - 14 ✓ - 16A - 17A - 18 - 19 10 ✓ - 20 ✓ - 2 ✓

1d DeLaRue - Continuous Rule

1.25

M5(2)

PLATE 20

2.00

V1

PLATE 20 M5(2)

Characteristics - Corner Rule form - Side Rule 1mm thick - Bottom rule 1.2mm - Notch under 'Y' base Rule 20/11 - See Also D4 - page 5A



4.50

M5(2) ~~UNPLATED~~ (Coord 5.5 x 2.5+)

PLATE 2

(Overlay same as plate 14 but no white dot) (before 'POSTAGE' label - small difference see "LIPS" btwn 20/10 + 11 see RWP 12/4/35

8.00

M5(3)

PLATE 2 (Coord 5.5 x 2.5+)

According to RWP due to lips which Appear on 'B' Plate 2

9.50

H2A

M5(1)

PLATE 10

These seem to be printings from later issues of plate 10 - viz plate 10 page 3a. - Rule shows sign of wear as does control "C" there is a tiny nick under 'EN' of 11th and squeezed Rule btween 11/12 which also shows in earlier printings. Overlay same for all three pieces.

COORDINATES

1.25

M5(1)

27.00

PLATE 2 (Coord 5.5 x 2.5)

NB. Lips and form of Rule at Curve

1d DeLaRue - Continuous Rule

+

PLATE 10 (Co 6.5 x 8. to bottom of 'C'

PLATE 2 (Co. 5.6 x 2.5)

See Page 3B

Thin inner frame line left of Laurel
Leaf #15 - R20/10 may not be consistant

+

M5(1) PLATE 10 EARLIER PRINTING

Nick developed in base Rule UNDER EN of 11+L
Not present here or on page 3a - (Co 6.5 x 3.7)
see Rwp Jan 17 '16

1d DeLaRue - Continuous Rule

13.00

M5(3) PLATE 17A (M.A) (=PL 32)
Coon 4.8 x 3.2 - small base notch 8.5mm from Right Frame line

8.00

V2A

2.50

M5(2)

PLATE 19
Break btwn 10/11 not separated ~~but v.v.~~ ~~Pl. 19 Control 'C'~~

4.00

M5(3)

M5(2) PLATE 11 1.10

PLATE 11

M5(3)

1.75

PLATE 7 3.3 x 2.9

M5(1)

PERFS. THROUGH MARGIN

IMPERFORATE MARGIN

M5(1)

25.00

20.00

M5(1)

C82-P

PLATE 14 (=8)
WHITE DOT IN FRONT OF 'P' of Postage IN label - R20/11

Not definitely plated but break betwn 10/11 and 11/12 plus long jog under SW 20/11 may be continued later and given a Plate Number, perhaps Pl. 79 - presently known as U101 - RWP - 1/29/75

PLATE 79 Coon 4 x 3.1

See same plates "B" - page 2c and 'A' - page 1B

PLATES USED - 3 - 7 - 11 - 14 - 16A - 16B - 17A - 18 - 19 - 13 - 79 - 82 - 20

80.00

1d DeLaRue - Continuous Rule

4.00

+

~~V1~~ V2a
18.00

+

PLATE 13 (UNLISTED IN S.G.)

Note DAMAGE outer frame 20/11 - 5mm + down from top. - VIDE ALSO Plate 13 Control 'C' RWP 1/19/75 (BLITZ)

UNPLATED - MAY BECOME MS(2)
U123 ~~U136~~ + BREAK IN RULE S.E OF 10TH. STAMPS 19/11, 19/12, 20/11 AND 20/12 lower THAN 19/10 AND ~~19~~/20/10. RWP 1/19/75 Co 3.6 x 3.7
RWP Jan 76

V2a
V2
2.00
18

+

~~V1~~ V2a
18.00

MS (2)

PLATE 82 (BLITZ)

Characteristic is sharp point - ~~left~~ of Oak leaf #1 - Row 20/11 similar to B of same plate (page 2c) also form of Rule btwn 11 and 12 looks like same in B

+

PLATE 18 MS(2)
Notch under NN of R 20/12. Co. 3.7 x 2.6

H1
1.10

PLATE 20

Characteristics - Corner Rule form - Side Rule inn thick - Bottom Rule 1.2mm. - small notch under 'Y' base Rule R20/11 - see also 'D4' page 5A and 'C' page 3B.

H
1.10

59.00

PLATE 16 (BLITZ)
R20/11 Break in left inner frame about 6mm up from bottom and break in inner from of R20/12 under 'O'

1d DeLaRue - Continuous Rule

1.10 +

PLATE 3 (BLITZ)

Badly worn plate - see D4 page 5A

1.50 +

MS(1)

PLATE 7

See same plate - page 4A

1.20 +

MS(1)

UNPLATED ~~(U136)~~ (U129) Co. 3.7 x 3.7

See page 4b

See RWP Drawing

1.50 +

MS(1) PLATE 17 Co. ~~5~~ 4.7 x 3.3

See page 4a

5.50

1d DeLaRue - Continuous Rule

H1

9.00

PLATE 7 M5(1)
4.4 x 3

+

+

9.00

H1

PLATE 11 M5(2)

17.00

+

V1

1.50

+

M5(3)

H1 PLATE 3

Break btwn 11/12 - Broken inner from S.E corner 12th
Disturbed Rule under 11th
Dropped Cliche 20/12 - Crack left side 12th crossing laurel leaf 10 and 9 - See A.S. Doupé Group 2 - No. 9.
See RWP - 1/19/75
Gap in bottom line SE value tablet see + B Pl. 3 (R20/11)

1.50

V1

+

PLATE 20 M5(1)

Characteristics - Corner Rule form - Side Rule 1mm - Bottom Rule 1.2mm - Notch under base Rule at 'Y' - R20/11

PLATES USED - 3 - 7 - ~~14~~ - 11 - 17B - 18 - 20 - 29 - 32

(10) (12) (3) (5) (4) (6) (2) (11) (10)
(9) (11) (5) (9) (3)

M5(1)

PLATE 17

See Nicks in base of Rule under 'P' of 20/11 and irregularity of Rule 10/11 and 11/12 - see RWP - 1/19/75



+

PLATE 17 M5(1)
(overlay same as above)
Co. 4.2 x 3.3

39.00

1d DeLaRue - Continuous Rule

H1

PLATE 7 M5(2)

+

PLATE 18 M5(2)

N.B. This plate which does not appear in S.G. as being used for this control is nevertheless found with controls B.C. C4 and D4. It is recognized by the notch in the Rule below R 20/12 under NN of PENNY.
SG. 4.2 & 2.3

PLATE 7 M5(1)

N.B. WHITE SPOT IN RULE UNDER 'NY'
~~(N)~~N BOTH PIECES ABOVE

+

M5(1)

PLATE 18

(SAME OVERLAY AS PAIR ABOVE)
SAME RULE FORM
NOTE ALSO SHAPE OF RULE AT LEFT END OF R 20/11

H1

+

M5(1)

PLATE 7

(White spot quite evident)

PLATES USED - 7 - 12 - 18
(12) (9) (6)
(10) (9)
(11)

C 84 - IMPERFORATE

1d DeLaRue - Coextensive Rule

18.00

PLATE 9A M5(2)

Curved crack (vertical) below left end 'Postage' label - evident in several later controls - R 20/12
See RWP 1/19/75

V1

PLATES USED - 9A (1) - 15 (2)

10.00

H1

M5(1) UNPLATED (Coord. 6x3.2)

M5(2)

UNPLATED

Dropped Rule at right and weak N.W. of O(N) - RWP 6/2/75. He has strip of 3 - R 20/12

(Coord 6x3.2)

8.00

H1

37.00

1d DeLaRue - Coextensive Rule

H1

M5(3)

UP TO NOW, NOVEMBER 1974, NO PLATE NUMBER HAS BEEN ALLOCATED TO THIS PAIR DESPITE THE FACT THAT ITS CHARACTERISTICS ARE PROMINENT. THESE CONSIST OF A SUBSTANTIAL BREAK UNDER 11TH STAMP AND THE 12TH CLICHÉ BEING LOWER THAN THE 11TH. SAME CHARACTERISTICS ALSO KNOW IN Control D4 - See RWP 10/1/74 (Co. 3.3 x 3)

PLATE 9A H1 M5(3)

Characteristic - Curved scratch below Postage label - commences with 'C' AND USED IN D4, D5, E5

UNPLATED M5(1)

Row 20/12 has a crack at left of top inner frame. It is either from AN UNLISTED plate or plate 11 according to R.P. (1/75) - see RWP 1/19/25 page 3

Co. 4.4 x 3.5

H1

PLATE 9A M5(1)

H1 UNPLATED (Co. 4.2 x 3.2)

VERTICAL RULES AT RIGHT ABOUT 0.5mm lower than stamps

PLATES USED - 9A - 15 - 11
(1) (2) (6)

3.00

3.00

8.00

26.00

H1

Page 8A

1d DeLaRue - Coextensive Rule

V1

UNPLATED BLITZ (NO GUM)
THIN RULE Right of Row 20/12.
Coord 44.3 x 3.

MS(1)

PLATE 9A (Coord. 5.4 x 2.7)

CURVED CRACK UNDER RIGHT END OF 'POSTAGE' LABEL. - RIGHT RULE OF R9/12 IS DISTURBED ALSO NICK IN THIS PART OF RULE ABOUT 1½ MM DOWN. 9/11 DEVELOPES A LEFT SIDE CRACK LATER ON AND IS THEN REPLACED
RWP 11/9/75

MS(1)

PLATE 9A (Coord 5.5 x 2.7

See Above for Characteristics

Also see RWP 10/7/74 AND full strip

page 9B Plate Repair Below Pos Postage

PLATE 30
MS(1)

PLATE 30

Close observance will indicate the be beginning of a crack under (D) N in R the final developement of which is seen in E5. Confirmed by RWP- 6/2

UNPLATED MS(2)

R 20/12 Break in inner frame line left of laurel leaf #15
Thin vertical rule right of R 20/12 - (Coord. 5.5 x 3.5)

PLATES USED Displaced Electro.

1 2 3 4 5 6 7 8

26A - 27 - 28A - 30 - 31
(2) (7) (5) (12) (2)

1d DeLaRue - Coextensive Rule

2.00

2.00

MS(2)

PLATE 9A

N.B. CRACK IN S.W. CORNER OF 'POSTAGE' LABEL. ROW 20/12. THIS CURVED CRACK EXISTS IN SAME STAMP OF PLATE 9 IN CONTROLS E5-E6- AND F6. DAMAGE IN ROW TO RIGHT OF ROW 20 IS LIKEWISE PRESENT IN SAME CONTROLS - SAME PLATE - see RWP 10/7/74

MS(1)

PLATE 34A

2.00

2.00

MS(1)

UNPLATED

(BLITZ - NO GUM)

2.00

UNPLATED

MS(1)

Note - small gap in borderline btwn Ribbons under PE. RWP 6/2/75 R20/11

UNPLATED

Row 20/11 Break in 6th horizontal shading line up from left Ribbon and under chin. Dent in SW corner of value tablet. R20/12. Break in shading line inside of oval immediately to right of lower part of #6 laurel leaf.

PLATES USED - 9A (10) - 21A (5) - 23A (4) - 24A (5) - 25A (6) - 27 (7) - 28A (8) - 30 (12) - 33A (6) - 34A (11) - 35 - ~~36~~ - 37

10.00

1d DeLaRue - Coextensive Rule

3.00

MJ(Z)

UNPLATED

SMALL NICK UNDER (P)* - MAY NOT BE CONSTANT - RWP 6/2/15 *(PO) of Postage
WR20/10

3.00