

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC7
S21 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 87b

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

€50

(umm)

CONTROL REFERENCE TC7
S21 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 BRIGHT SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 87b

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

€25

(control fm & 2 umm)

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC7
S21 IMPERFORATE

1d. OVERPRINTED STAMP
REFERENCE **T2**
BRIGHT SCARLET & BLACK INK

PRINTER HARRISON & SONS
NOTIONAL PRINTER'S PLATE **95**
with CONTROL TYPE S21a
OVERPRINT CONTRACTOR
DOLLARD
OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'1' in right margin
UF1r Broken first '2' in '1922' - stamp R19/10

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC7
S21 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 106
 with CONTROL TYPE S21b

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced
 White line flaw in top loop of 'S' and
 flat top to '1' of 'S21'

€50

(umm)

CONTROL REFERENCE TC7
S21 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 106
 with CONTROL TYPE S21b

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

White line flaw in top loop of 'S' and
 flat top to '1' of 'S21'

(umm)

€30

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC8
S21 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 75b
 with CONTROL TYPE S21e

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

Flat on outer surface of top curve of 'S'

(umm)

€190

CONTROL REFERENCE TC8
S21 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 75b
 with CONTROL TYPE S21e

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

Flat on outer surface of top curve of 'S'

€120

(control umm)

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC8
S21 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 104
 with CONTROL TYPE S21f

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A

(3 umm incl. control)



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

€215



CONTROL REFERENCE TC8
S21 PERFORATE

Block from Rows 17 to R20, Stamps 10,11,12

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 104
 with CONTROL TYPE S21 (sub-type S21f)

(Dot in jubilee line at 7mm, adjacent to stamp from R17/12. Listed by Gibbons with 2 cuts & not a dot)

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III
 PART 'B1' WATERMARK Bottom right margin

PERFORATION COMB SETTING - Type 2A

Acquired December 2019
 Paid US\$90

€230

(block umm, incl. control)

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TCS
S21 PERFORATE

1d. OVERPRINTED STAMP REFERENCE T2 - BRIGHT SCARLET & BLACK INK
 PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 122 with CONTROL TYPE S21g

OVERPRINT CONTRACTOR DOLLARD - OVERPRINT STEREO SETTING 1
 WATERMARK W14 - Type III PERFORATION COMB SETTING - Type 2A

(12 x umm incl. control)



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced
 and A2 in margin

€250

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE **T2GB**
 SCARLET & GREY BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE **86**
 with CONTROL TYPE S22a

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING **1**

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced
 Reversed '1' in left margin

(umm)

€80

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE **T2GB**
 SCARLET & GREY BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE **86**
 with CONTROL TYPE S22a

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING **1**

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

€25

(m)

DOLLARD 1d

FIRST SETTING



PRINTERS PLATE 86
OVERPRINT SETTING 1.



PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP REFERENCE **T2GB** - SCARLET & GREY BLACK INK
 PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE **86** with CONTROL TYPE S22a

OVERPRINT CONTRACTOR DOLLARD - OVERPRINT STEREO SETTING **1**
 WATERMARK W14 - Type III PERFORATION COMB SETTING - Type 2

(18 x umm)



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced and reversed '1' in left margin

Jubilee distorted adjacent to stamp R207

E160

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 91b

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Break in 'd' of 'Sealadaí' R19/12 (UFI)

(5 x umm incl. control)

€50

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 91b

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced
 and reversed '1' in left margin

E65

(5 x umm incl. control)

Stereo setting 2 alignment varieties as detailed below

Stereo Setting 2		
	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1l	R20/12 V1d
E	B + E	A + C/D
Description of Setting Variants (A) 'n' over 'se' (B) 'l' over left shank of 'n' in 'nΔ' (C) 'l' over right shank of 'n' in 'nΔ' (D) 'l' over centre point of 'nΔ' (E) 'éi' over '1'		

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 96 PRINTING A

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

UF1t Blotted second 'A' in 'RIALCAP' - stamp R20/12

Notional Printing A as examples from same plate on
 page TC9C1 display different control characteristics

(umm)

€50

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2GB
 SCARLET & GREY BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 96 PRINTING A

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Notional Printing A as examples from same plate on
 page TC9C1 display different control characteristics

(umm)

€50

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 96 PRINTING B

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark displaced
 Overprints display major shift to the left

Notional Printing B as examples from same plate on
 page TC9C display different control characteristics

(umm)

€50



CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 96 PRINTING B

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III
 PERFORATION COMB SETTING - Type 2

(umm)

CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Stereo setting 2 alignment varieties from Row 20/10, 11, 12

Notional Printing B as examples from same plate on
 page TC9C display different control characteristics

€40

Row 20

Stereo Setting 2		
	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1l	R20/12 V1d
E	B + E	A + C/D
Description of Setting Variants (A) 'r' over 'se' (B) 'l' over left shank of 'ri' in 'na.' (C) 'l' over right shank of 'ri' in 'na.' (D) 'l' over centre point of 'na.' (E) 'éi' over 'i'		

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
REFERENCE T2
SCARLET & BLACK INK

PRINTER HARRISON & SONS
NOTIONAL PRINTER'S PLATE 97b
With CONTROL TYPE S22b

OVERPRINT CONTRACTOR
DOLLARD
OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

(umm)

€30

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 97b
 With CONTROL TYPE S22b

OVERPRINT CONTRACTOR
 DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Overprints display major shift to the right - 0F1s / T2g

Stereo setting 2 alignment variants as detailed below

(4x umm incl. control)

€500+

Stereo Setting 2		
	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1l	R20/12 V1d
E	B + E	A + C/D
Description of Setting Variants (A) 'r' over 'se' (B) 'l' over left shank of 'ri' in 'hΔ' (C) 'l' over right shank of 'ri' in 'hΔ' (D) 'l' over centre point of 'hΔ' (E) 'éi' over '1'		

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 114a
 with CONTROL TYPE S22c

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2



CONTROL BLOCK FEATURES and VARIETIES

Reversed '1' in right margin
 GvR watermark shift to the left

€30

(umm)



CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 114a
 with CONTROL TYPE S22c

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2

(umm)

Stereo Setting 2		
	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1i	R20/12 V1d
E	B + E	A + C/D
Description of Setting Variants (A) 'r' over 'se' (B) 'l' over left shank of 'n' in 'nd' (C) 'l' over right shank of 'n' in 'nd' (D) 'l' over centre point of 'nd' (E) 'é' over '1'		

Row 20

CONTROL BLOCK FEATURES and VARIETIES

Reversed '1' in right margin

Stereo setting 2 alignment varieties from Row 20/10, 11, 12

€40

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC9
S22 IMPERFORATE

1d. OVERPRINTED STAMP
REFERENCE T2
SCARLET & BLACK INK

PRINTER HARRISON & SONS
NOTIONAL PRINTER'S PLATE 83
with CONTROL TYPE S22d

OVERPRINT CONTRACTOR DOLLARD
OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2

(vfu)



CONTROL BLOCK FEATURES and VARIETIES

First day of issue cancellation 17 FEB 22
BALL'S BRIDGE D.O. DUBLIN

€150

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2GB
 SCARLET & GREY BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 91b

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced
 'GvR' watermark shift to the left

(umm)

€45

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 91b

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 1

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

'GvR' watermark shift to the left

(vfu)

€10

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
REFERENCE **T2**
SCARLET & BLACK INK

PRINTER HARRISON & SONS
NOTIONAL PRINTER'S PLATE **94**
with CONTROL TYPE S22h

OVERPRINT CONTRACTOR DOLLARD
OVERPRINT STEREO SETTING **1**

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

(5 x umm incl. control)

€45

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 NOTIONAL PRINTER'S PLATE 94
 with CONTROL TYPE S22h

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Stereo setting 2 alignment varieties as detailed below

(5 x umm incl. control)

€65

Stereo Setting 2		
	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1l	R20/12 V1d
E	B + E	A + C/D
Description of Setting Variants (A) 'r' over 'se' (B) 'l' over left shank of 'ri' in 'nΔ' (C) 'l' over right shank of 'ri' in 'nΔ' (D) 'l' over centre point of 'nΔ' (E) 'éi' over '1'		

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
REFERENCE T2
SCARLET & BLACK INK

PRINTER HARRISON & SONS
NOTIONAL PRINTER'S PLATE 94
 with CONTROL TYPE S22h

OVERPRINT CONTRACTOR DOLLARD
OVERPRINT STEREO SETTING 3

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

Stereo setting 3 alignment varieties as detailed below

(3 x umm incl. control)

€70

Stereo Setting 3		
	R19/2 V1b	R19/3 V1f
	A + B	A + D + E
R20/1 V1e	R20/2 V1i	R20/3 V1d
A + E	B + E	A + C/D
Description of Setting Variants (A) 'r' over 'se' (B) 'l' over left shank of 'n' in 'nΔ' (C) 'l' over right shank of 'n' in 'nΔ' (D) 'l' over centre point of 'nΔ' (E) 'éi' over '1'		

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE 96

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Stereo setting 2 alignment varieties as detailed below

(umm)

E70

Stereo Setting 2		
	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1l	R20/12 V1d
E	B + E	A + C/D
Description of Setting Variants (A) 'R' over 'Se' (B) 'L' over left shank of 'n' in 'nΔ' (C) 'L' over right shank of 'n' in 'nΔ' (D) 'L' over centre point of 'nΔ' (E) 'Éf' over 'l'		

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE TBC
 with CONTROL TYPE S22i

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING I

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

(umm)

€50



CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE TBC
 with CONTROL TYPE S22j

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A

(umm)

CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced & 'GvR' shift to the right
 Dandy Roll variety 'v' of 'GvR' missing with watermark to
 the right of the second '2' of '22'

Stereo setting 2 alignment varieties from Row 20/10, 11, 12

€120

Stereo Setting 2

	R19/11 V1a	R19/12 V1f	
	A	A + D + E	
Row 20	R20/10 V1m	R20/11 V1l	R20/12 V1d
	E	B + E	A + C/D
Description of Setting Variants			
(A) 'r' over 'Se'			
(B) 'l' over left shank of 'ri' in 'na'			
(C) 'l' over right shank of 'ri' in 'na'			
(D) 'l' over centre point of 'na'			
(E) 'éi' over '1'			

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE TBC
 with CONTROL TYPE S22k

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A



CONTROL BLOCK FEATURES and VARIETIES
 Stereo setting 2 alignment varieties from
 Rows 19 & 20 stamps 10, 11, 12

£65

(5 x umm incl. control)



CONTROL REFERENCE TC10
S22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE TBC
 with CONTROL TYPE S22l

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A

(fm)

CONTROL BLOCK FEATURES and VARIETIES

Stereo setting 2 alignment varieties from
 Row 20 stamps 10, 11, 12

£30

Stereo Setting 2

	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1l	R20/12 V1d
E	B + E	A + C/D

Row 20

Description of Setting Variants

- (A) 'r' over 'se'
- (B) 'l' over left shank of 'r' in 'na.'
- (C) 'l' over right shank of 'r' in 'na.'
- (D) 'l' over centre point of 'na.'
- (E) 'el' over 't'

PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC11
T22 IMPERFORATE

1d. OVERPRINTED STAMP
REFERENCE T2
SCARLET & BLACK INK

PRINTER HARRISON & SONS
PRINTER'S PLATE TBC
with CONTROL TYPE T22b

OVERPRINT CONTRACTOR DOLLARD
OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2

(2 x umm incl. control)



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Stereo setting 2 alignment varieties as detailed below

€375



Printers Plate
Overprint Stereo Setting 2



PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD

CONTROL REFERENCE TC12
T22 PERFORATE

1d. OVERPRINTED STAMP
 REFERENCE T2
 SCARLET & BLACK INK

PRINTER HARRISON & SONS
 PRINTER'S PLATE TBC
 with CONTROL TYPE T22k

OVERPRINT CONTRACTOR DOLLARD
 OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A

(3 x umm incl. control)



CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Stereo setting 2 alignment varieties as detailed below

Overprints display shift to the right

€200



CONTROL REFERENCE TC12
T22 PERFORATE

Details generally as above
 CONTROL TYPE T22k

CONTROL BLOCK FEATURES and VARIETY

Stereo setting 2 alignment variety VII
 with stamp from R20/11

Stereo Setting 2		
	R19/11 V1a	R19/12 V1f
	A	A + D + E
R20/10 V1m	R20/11 V1l	R20/12 V1d
E	B + E	A + C/D
Description of Setting Variants (A) 'r' over 'so' (B) 'l' over left shank of 'ri' in 'hA' (C) 'l' over right shank of 'ri' in 'hA' (D) 'l' over centre point of 'hA' (E) 'éi' over '1'		

€100

(umm)

Reference	Cat. €
TC12	200
TC12.1	100



Tc12
 T22F
 Cosmin Lee

Bridger & Kay
 Z108

info@bridgerkay.net

**PROVISIONAL GOVERNMENT of IRELAND - ISSUE 1T
HARRISON CONTROL BLOCK with OVERPRINT by DOLLARD**

**CONTROL REFERENCE TC12
T22 PERFORATE**

1d. OVERPRINTED STAMP
REFERENCE T2
SCARLET & BLACK INK

PRINTER HARRISON & SONS
PRINTER'S PLATE TBC
with CONTROL TYPE T22k

OVERPRINT CONTRACTOR DOLLARD
OVERPRINT STEREO SETTING 2

WATERMARK W14 - Type III

PERFORATION COMB SETTING - Type 2A

(umm)




CONTROL BLOCK FEATURES and VARIETIES

'POSTAGE' watermark misplaced

Stereo setting 2 alignment varieties as shown below

€150

Example - Two Complete Stereos from Setting 2



Characteristics of overprinted stamps from rows 5 & 6, stamps 1,2,3 and 4,5,6 are Replicated with corner control blocks from rows 19 & 20, stamps 10,11, & 12.